

DocRead for SharePoint 2013, 2016 & 2019

Publisher's Guide

Version 4.0

Contents

1	Intended Audience	2
2	Prerequisites	2
3	Introduction	2
4	Adding Documents to a DocRead Enabled Library	3
5	DocRead Settings	6
5.1	Templates	7
5.2	Reset Tasks	7
5.3	Publishing date	8
5.4	Expiry Date	8
6	Message Templates	9
6.1	Creating a new Template	9
6.2	Changing the Email templates	9
6.3	Change the Task Panel messages	10
6.4	Changing the Terms and Conditions statement	12
6.5	Selecting the correct template for the DocRead task	14
7	Troubleshooting	15
8	Support	15

1 Intended Audience

This document is intended to be read and understood by users who wish to:

- Publish documents to a SharePoint Library and
- Ensure those documents are read and acknowledged by End Users

2 Prerequisites

Before using this guide, please ensure the following conditions have been met:

- ✓ DocRead must have been installed and configured in your SharePoint Farm.
- ✓ A Site Owner (user with 'Full Control') needs to have activated DocRead against the relevant sites and Document Libraries that you wish to configure.
- ✓ You are logging onto SharePoint as a user who has 'Contribute' permission over the site where you want to configure DocRead.
- ✓ You are logging onto SharePoint as a user who is in the 'DocRead Publishers' group.

3 Introduction


This guide is intended to help you administer DocRead within your sites and site collections on your organisation's SharePoint intranet or internet.

Please refer to the DocRead System Administrator's Guide if these have not already been completed.

4 Adding Documents to a DocRead Enabled Library


After DocRead has been activated against your Document Libraries, you may begin to upload documents to these Libraries (or use items already stored within them) and use DocRead to request readership confirmation.

Note: A DocRead enabled document library will display an additional 'DocRead Tasks' option in the Library tools ribbon as shown below. If this option is not available, please refer to your DocRead Administrator and request that DocRead is enabled on the document library.




If you have chosen pre-existing documents you simply need to edit each document's properties to assign individual users, groups or audiences. If this is the case please proceed to step 5, otherwise start with step 1.

1. From the 'Settings' menu select 'Site Contents'.
2. Select a DocRead enabled Document Library which needs to contain the required documents.
3. You can simply 'drag and drop' new files into this document library or select '+ new document'.



4. Use the 'Browse' button to navigate to the document you wish to upload and click 'OK'



5. Input (or edit for an existing document) information about the document.

Commit		Clipboard		Actions	
Recent		Name *	Health Safety And Wellbeing .docx		
Announcements	Title	Health Safety And Wellbeing			
Policy Links	Required Audiences	All Users Group			
Policy Library	Acknowledgement Period (days) :	7			
DocSurvey training quiz	Recommended Audiences				
Employee satisfaction survey Oct 2014	Acknowledgement Period (days) :	14			
My Required Reading	Reading Task Link	http://portal.unitedexports.net/Policies/Documents?DocReadDocId=5			
Stress Policy	DocRead Comment	Please read and acknowledge this documnet before your next team safety briefing			
Site Contents	Policy Type	Health and Safety			
	Policy Owner				
	Policy Author				
Version: 1.0		Created at 7/21/2013 2:26 PM by <input type="checkbox"/> Helen Jones		<input type="button" value="Save"/>	<input type="button" value="Cancel"/>
		Last modified at 10/9/2014 1:10 PM by <input type="checkbox"/> Helen Jones			

Note: If the Required and Recommended Audience boxes are not available for you to amend it is because you are not a member of the DocRead Publishers group that has been selected for this site.

6. Define the required and recommended audiences that you wish to view the document. Use 'Required Audiences' when you want to ensure that users will read a document by a specified deadline. Tasks assigned to the Required Audiences will automatically become overdue if they are not completed by the deadline date. Use 'Recommended Audiences' when you want to recommend (but not enforce) a document to users. Tasks assigned to the recommended audiences never become overdue (you are basically recommending that a user should read the document by a given date).

Note: The 'Acknowledgement Period (days)' shown reflect the default settings used by the SharePoint System Administrator during the Initial DocRead Setup process. They may be amended on a per document basis on this screen to a more appropriate value if required.


By using the 'Browse' icon DocRead will display a screen that will allow you to find Individual Users, Groups or SharePoint Global Audiences. The options available will reflect how your organisation structures groups and departments within Active Directory and SharePoint. Click

on the required groups or audiences (you may choose as many as you wish) and click 'Add', then 'OK'.

Note: If 'Global Audiences' have been enabled on this site (via the DocRead site settings page) you will not be able to select individual users or AD groups. If you need this functionality please contact your System Administrator.

Note: It is important that your audiences and groups have the rights to 'read' the document you have assigned to them. DocRead does not bypass standard SharePoint security. Contact the Site Owner for more information.

7. Enter the number of days you wish to allow your selected users to complete the reading task in the 'Acknowledgement Period (days)' box. The values that appear initially reflect the default number of days input by an administrator during the DocRead installation and setup process and can be amended on a per document basis.
8. If you have elected to use a comments column with DocRead on this document library you may also add a comment that will be displayed to the user during their task confirmation process as well as in their email notifications. These may be viewed by the user on receiving a task here:



Note: If no comments are used the 'view comments' link will be hidden.

9. The reading task link provides a very convenient method to copy and paste a direct link into other documents, webpages, emails, etc. This can be useful if you need to send an email to users who need a 'special reminder' to complete the task. This link will automatically load the task information panel ready for the user to read and confirm.

10. Click 'Save'.

11. Remember to Check in your document and publish a major version if you are using these settings on your document library.


Note: DocRead will only assign tasks for fully published documents therefore it is important that you complete the document check in and publishing routines as normal. If you wish to work on a document and not allow DocRead to distribute it then keep the document as a draft copy (e.g. v1.2).

12. The reading tasks will be assigned the next time the DocRead timer job runs (as scheduled by an Administrator during the DocRead installation process).


5 DocRead Settings

Version 3.0 introduced more control over publishing dates for a document or item that will be assigned via DocRead and also moves the 'Reset Task' option to the 'DocRead Settings' menu. To access the 'DocRead Settings' options.

1. Click on the ellipsis '...' to the right of the document name and again in the pop up window.



2. Select 'DocRead Settings'.



3. This will open up a new page as shown below.

DocRead Settings ✕

Template

Select the template to be used by the reading tasks associated with the document

Please Select ▼

[Create new template](#)

Reset Tasks

Resets all DocRead Tasks associated with the document

Reset Tasks

Tasks will be reset by the next processing job

Publishing Date

Choose an publishing date if you wish DocRead to only start to assign tasks after a specified date.

📅

Expiry Date

Choose an expiry date if you wish DocRead to stop assigning new tasks after a specified date. Existing tasks that have not been completed will also be deleted. Completed tasks will remain unchanged

📅

OK

Cancel

5.1 Templates

See section 6 of this manual for information on how create and assign templates to documents.

5.2 Reset Tasks

If, after assigning the original task, an amendment is required to the original document or list item which you need all users to re-acknowledge regardless of whether they have completed the original task, simply check the 'Reset Tasks' box and click 'OK'.

Reset Tasks

Resets all DocRead Tasks associated with the document

Reset Tasks

Tasks will be reset by the next processing job


When the timer jobs next run (depending on the schedule chosen) the tasks assigned to the original document will be deleted. Negative reading receipts will be generated for users who had not completed the task before it was reset and new tasks will be assigned to all users.

5.3 Publishing date

The creation of DocRead tasks may be delayed until a specific date is reached.

Publishing Date

Choose an publishing date if you wish DocRead to only start to assign tasks after a specified date.



By selecting a publishing date you can create your document / policy / item in advance, ensure that it is fully approved and checked in, have the relevant DocRead audiences assigned and relax in the knowledge that DocRead won't assign tasks until the relevant publishing date arrives.


Note: The DocRead tasks will actually be generated during the first scheduled Reading Tasks job that runs after the date you set. Please check with your System Administrator to find out how frequently these run.

5.4 Expiry Date

Setting an expiry date for the DocRead task can be really useful if the information has a finite lifespan.

Expiry Date

Choose an expiry date if you wish DocRead to stop assigning new tasks after a specified date. Existing tasks that have not been completed will also be deleted. Completed tasks will remain unchanged



Once this date is reached, DocRead will no longer create new reading tasks for the item and any existing incomplete tasks will be removed from users reading lists causing the creation of a negative reading receipt stating that the expiry date had been reached.

6 Message Templates

DocRead version 3.0 introduced a new feature providing the ability to assign tasks to users with different messages that you can create and specify e.g. “please read this document”, “please watch this video” or “please complete this questionnaire”. This feature also makes it possible to create templates and send messages in local languages.


Different message templates can be created at site level and used alongside any task assigned from DocRead enabled libraries and lists in that Site.

Options to amend the Email Templates, Task panel messages and Terms and Conditions are available.

You may find it useful to create a new default set of templates to include organisational images, logos and standard phrases and then clone the basic set (i.e. opening the basic set up and saving with a new template name) before amending it for specific task messages.

6.1 Creating a new Template

1. Navigate to the site where you want to create specific templates and go to ‘Site Settings’.
2. From the DocRead ‘Manage Templates’ option, existing templates will be listed on this page.
3. Select ‘Create Template’.




4. Give your new Template suite a name and description.

Note: This template will only be available for tasks assigned via DocRead from this site.


6.2 Changing the Email templates

DocRead ships with three basic email templates which are used when tasks are assigned, completed or fall overdue these can be used as starting points for any template amendments you wish to make.

1. Use the drop down arrow to select the email template you wish to amend (Completed, Required, Overdue)



2. Amend the text / format as required and click 'save' or select a different element to amend.



6.3 Change the Task Panel messages

1. Use the drop down arrow to select the message type you wish to amend.

EMAIL TASK PANEL TERMS AND CONDITIONS

Status messages
Configures the messages shown to the user on the task panel

Status **Required** ▲

Title Required

Message Completed this document

View Link
Configures the text of the link that displays the item attached to the task.

View Link Text View Document

Action Button
Configures the text displayed on the task action button.

Action Button Text Confirm


- The title and message fields are shown on the 'Task' and 'Confirmation' tabs on the Task Panel and may be amended as required. You may wish to change the text to state "You are required to read and follow this policy" for example.

Status Required ▼


Title Reading Required

Message You are required to read this document


This will amend the text viewed by the user here:




- The link text is displayed under the document icon on the Detail and Confirmation tabs and can be amended as required. You may find it helpful to change this text to something like "watch video" or "read policy" for example, please try to keep this brief.




This will amend the text viewed by the user here:



4. The action button is the final button that the user will use to confirm that they have acted in line with your instructions and may be amended as required. Suggestions for an alternative text could be “agree”, “complete” for example.



This will amend the text viewed by the user here:



6.4 Changing the Terms and Conditions statement

1. The terms and conditions statement provides a comment that the user must accept / agree to before being able to complete the task and can be amended to contain more appropriate organisational phrases as required. If you have changed earlier messages to include

watch a video or change the action button you may need to amend this statement as well to provide a consistent message.

Terms and Conditions

Specify the terms and condition message to be agreed by the user when completed a reading

Terms and Conditions

You are required to read this document. After reading the document tick the box below and click Confirm. I hereby confirm that I have read the document that is linked from this page.

This will amend the text viewed by the user here:

Terms and Conditions

You are required to read this document. After reading the document tick the box below and click Confirm. I hereby confirm that I have read the document that is linked from this page.

I agree

Confirm

2. The receipt messages (both positive and negative) are displayed to the user on the Reading Receipt provided to the user when they either complete or fail to complete a task using DocRead.

Receipt Messages

Configure the information messages that will be displayed on the DocRead receipts

Positive Receipt

This document certifies that the user "{Fields.UserName}" has confirmed reading the document "{Fields.DocumentTitle}" on the date: {Fields.TaskCompletionDate}.

Negative Receipt

This document confirms that the user "{Fields.UserName}" has failed to complete the task to read the document "{Fields.DocumentTitle}".

This will amend the text viewed by the user here:


DocRead Receipt

Receipt Nbr: 1

Created On: 10/9/2014 12:46 PM

Assigned To: sp2013\helen

Issue Reason: Reading completed




This document certifies that the user "sp2013\helen" has confirmed reading the document "TECHNOLOGY RESSOURCES USE POLICY" on the date: 10/9/2014 12:46:01 PM.

6.5 Selecting the correct template for the DocRead task


Once you have a suite of available templates ready for use with DocRead, DocRead Publishers will be able to select the most appropriate collection for use with each individual DocRead task.

This option is reached by following the ellipsis '...' against the document / item to be assigned by DocRead and then choosing the "DocRead Settings" option.



The screenshot shows the 'Policy Library' interface. A notification at the top states: 'You have overdue reading tasks for documents in this library. View your DocRead tasks'. Below this, there is a search bar and a list of documents. The document 'Accident reporting policy' is selected, and its context menu is open, showing options like 'EDIT', 'SHARE', and 'FOLLOW'. A table on the right lists document details:


Policy Author	ID	DocRead Comment	Policy Type
Percy Publisher	11		Health and Safety
Percy Publisher	12		Health and Safety
Percy Publisher	13		Employee Benefits



This screenshot is similar to the previous one but shows the 'DocRead Settings' option selected in the context menu for 'Accident reporting policy'. The table on the right now includes a fourth row:

Policy Author	ID	DocRead Comment	Policy Type
Percy Publisher	11		Health and Safety
Percy Publisher	12		Health and Safety
Percy Publisher	13		Employee Benefits
	14	Please read the document and pay particular attention to the section about keyboard usage.	

The relevant template for each document / item can be chosen from the drop down arrow.



7 Troubleshooting

Please refer to the following troubleshooting guides if you are having problems with the publishing process.

- ***How to troubleshoot no reading tasks from DocRead***
<https://www.collaboris.com/how-to-troubleshoot-no-reading-tasks-from-docread/>
- ***Troubleshooting emails from DocRead***
<https://www.collaboris.com/troubleshooting-emails-from-docread-useful-things-to-check-for/>

8 Support

We hope you have found this guide easy to follow and have successfully assigned documents to groups of users and are monitoring their acceptance!

Please refer to the knowledgebase articles here <https://www.collaboris.com/knowledgebase/> in the first instance and if you still can't solve your problem, please raise a help ticket here: contact us at <https://www.collaboris.com/support/> with your licence key and support package details and we will be happy to assist you.